TOSHIBA

E-STUDIO2528A
E-STUDIO3528A
E-STUDIO4528A
E-STUDIO5528A
E-STUDIO6528A

Monochrome Multifunctional Printers

 Monochrome A3 print, scan, copy and fax systems with a speed of up to 65 pages per minute for today's business needs

 Advanced technology combined with ease-of-use for more efficiency in medium
 to large-sized workgroups requiring reliable document output and excellent image quality

 A large range of options for flexible customisation and easy adaptation to your company's needs





Cloud-ready And Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of "new normal" workplaces, the series is equipped with functionalities that enable non-contact, non-face-to-face and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side.

An all-rounder for your high demands

Each of the models in the Toshiba e-STUDIO6528A series delivers high-quality monochrome documents precisely in line with the needs of medium- to large-sized workgroups. All six multifunctional systems are equipped with state-of-the-art security features you can rely on and performance that will enhance productivity.

- Advanced Toshiba e-BRIDGE Next controller technology ensures smooth integration and operation without compromising on document quality
- With a print speed of up to 65 pages per minute, exceptionally fast first-copy output and a paper capacity of up to 5,200 sheets, the e-STUDIO6528A series delivers reliable document output
- Designed to support and enhance modern document workflows and simplify complex multi-step processes



New Standards In Versatility

Success in today's business world demands seamless access to data and information at all times, regardless of whether staff members are working remotely or on the go. The e-STUDIO6528A series easily integrates into cloud and mobile workflows. Thanks to the advanced e-BRIDGE Next controller technology, you can even seamlessly utilise third-party solutions. The array of embedded apps is designed to address the individual requirements of each business, and gives you the flexibility to connect to the cloud-based application of your choice.

Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox[™]
- e-BRIDGE Plus for Exchange Online
- e-BRIDGE Plus for Gmail™
- e-BRIDGE Plus for Google Drive™
- e-BRIDGE Plus for Google Workspace[™] Google Drive[™]
- e-BRIDGE Plus for OneDrive®
- e-BRIDGE Plus for OneDrive® for Business
- e-BRIDGE Plus for SharePoint® Online
- e-BRIDGE Plus for Universal Print
- e-BRIDGE Capture & Store

Workflow solution apps

- e-BRIDGE Plus for Green Information
- · e-BRDIGE Plus for ID Card
- e-BRIDGE Plus for USB Storage
- e-BRDIGE Plus for Voice Guidance
- e-BRIDGE Plus for Zone OCR

To ensure a perfect fit, contact our team of software developers for support in creating customised apps for you.

Your partner in sustainability


Toshiba is committed to people and the future of our planet. With the aim of building a sustainable society, we make every effort to minimise the impact of our business on the environment.

Conservation and protection of the world's natural resources are top priorities in every business process and product. A key aspect of our approach is to provide solutions that make our customers'operations more sustainable. Accordingly, the e-STUDIO6528A series has also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- > Compliance with the latest, most stringent environmental requirements
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP to encourage use of eco-friendly settings

Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6528A series comes with state-of-the-art security features, such as anti-malware, secure SSD (Solid State Drive) and TPM (Trusted Platform Module) with encryption function. Optionally you can choose the FIPS HDD* with data overwrite function and HCD-PP** certification. Deploy all the security technologies offered to ensure your data are protected when using the MFP.





Big Performance In A Compact Format

Toshiba's e-STUDIO6528A series offers a wide spectrum of functionalities in a surprisingly compact format. The multifunctional systems enable you to integrate and simplify your workflows while improving efficiency.

Mobile printing gives you full flexibility and lets you easily connect to mobile devices via AirPrint or the Mopria Print Service.

Wi-Fi Direct offers the option of on-demand connection. Coupled with the Toshiba e-BRIDGE Print & Capture app, the feature not only lets you print from but also scan to your mobile device.

Remote assistance and diagnostics fit seamlessly into today's workstyles and help keep your business running when technical difficulties or uncertainties occur.

Embedded optical character recognition (OCR) simplifies the creation of searchable PDFs and editable document formats.

Scan to USB is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.

Scan and fax preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

Dual Scan Document Feeder (DSDF) can hold up to 300 originals and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

Customisable user interface (UI) for your ideal user experience. A fully customisable, tiltable 26 cm (10.1") colour panel works like a tablet or smartphone interface, so you can find whatever you need with a swipe of your finger.

Auto skew correction for non-standard paper sizes ensures your scanned documents are created accurately – every time.

Security you can rely on optional card readers and biometric fingerprint readers** add an extra layer of security to the systems and allow you to restrict access to the devices. But they also make life easier for users by giving them direct access to their print jobs.

Multi station print solution allows users to send print jobs from their desktops and retrieve them at up to 50 different MFPs within the network by authenticating at their device, e.g. by simply swiping a badge.



Proactive Service With Toshiba e-BRIDGE CloudConnect

- e-BRIDGE CloudConnect (eCC) is a device-to-cloud based system.
- It bridges the gap between business processes and machines in the field.
- It increases the efficiency of service operations.
- It is a web-based device management system, exclusively for Toshiba MFP.

Your Benefits



Improves Service Up Time

- Receive real-time technical alerts and warnings
- Remote configure device settings & software update
- Use service data for technical diagnosis, faster resolution



Service Automation

- Meter reads are automatically taken at set intervals
- Toner alerts are transmitted, triggering automatic supplies delivery
- No server maintenance, no manual backup data is required



Keeps your MFP secure & Up-To-Date

- Latest firmware & security updates via the cloud during off-peak periods
- Remote data backup and restore to avoid data lost
- Consistently manages device configurations to adhere to your company or regulatory & security standards

Minimise disruption with a maintenance contract

Having a maintenance contract in place ensures that you get to take advantage of a variety of add-ons. Get real value for money and maximise your return on investment with a well-maintained device, with helpful technical support when you need it. Maintenance contracts ensure that you can continue to run your business with minimal disruption.



Specifications

	e-STUDIO2528A/3028A	e-STUDIO3528A/4528A	e-STUDIO5528A/6528A	
General				
Print & Copy Speed	A4: 25 / 30 ppm	A4: 35 / 45 ppm	A4: 55 / 65 ppm	
	A3: 16 / 16 ppm	A3: 25 / 25 ppm	A3: 27 / 30 ppm	
Warm-up Time ~	14 seconds from low power mode	16 seconds from low power mode	20 seconds from low power mode	
	Drawer 1: A5R-A3, 60-256 g/m² Drawer 1: A5R-A3, 60-300 g/m²			
	Drawer 2: A5R-A3, 60-256 g/m ²		Drawer 2: A5R-320 x 460 mm, 60-300 g/r	
Paper Size & Weight	Bypass: Single Feed: 100 x 148 mm-A3, 52-256 g/m ²		Bypass: Single Feed: 100 x 148 mm-A3, 52-300 g/m ²	
			Banner paper (up to 305 x 1,200 mm, 90-163 g/m²)	
Paper Capacity	Drawer: 2 x 550 sheets			
	Bypass: 1 x 100 sheets			
	Max. 5,200 sheets			
Automatic Duplex	A5R-A3, 60-256 g/m ²	A5R-A3, 60-256 g/m ²		
Controller Type	Toshiba e-BRIDGE Next			
Control Panel	26 cm (10.1") Multi-Touch Colour Panel			
Memory	4 GB		6 GB	
Security SSD (Standard/Max)	128 GB / 640 GB			
nterface	10Base-T/100Base-TX/1000Base-T, High	h Speed, USB 2.0, WLAN* (IEEE802.11a/b/g/n/a	ac), Bluetooth*, Wi-Fi Direct	
Dimension & Weight	585 x 586 x 787 mm (W x D x H), ~55 kg		585 x 641 x 787 mm (W x D x H), ~72 kg	
Print	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , , ,	, , ,	
Resolution	600 dpi x 600 dpi, 1bit 2,400 x 600 dpi (w	vith smoothing)		
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PI	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG		
Supported Systems	Windows 11/10/8.1, Windows Server2022/2019/2016/2012 R2/2012 (64bit), Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400			
Network Protocols	TCP/IP (IPv4/IPv6, NetBios over TCP/IP)			
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS®			
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing			
Scan			, ,	
Souri				
Coon Decolution	600 dai 400 dai 200 dai 200 dai 150 da	ni 100 dni		
		up to 73 ipm (300 dpi) in colour and monochron	ne	
Scan Speed	Reversing Automatic Document Feeder*: Dual Scan Document Feeder*: up to 240	up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome	ne	
Scan Speed	Reversing Automatic Document Feeder*: Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome fonochrome	ne	
Scan Speed Scan Modes	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like	up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome Monochrome Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*"		
Scan Speed Scan Modes File Formats	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome flonochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" , Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca		
Scan Speed Scan Modes File Formats Scan Functions	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail,	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome flonochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" , Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca		
Scan Speed Scan Modes File Formats Scan Functions Copy	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail,	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome flonochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" , Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca		
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan:	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome flonochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" , Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca		
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv.	Reversing Automatic Document Feeder*: Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, M "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome flonochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" , Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca		
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time	Reversing Automatic Document Feeder*: Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing)	up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome donochrome Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud"	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies	up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome donochrome Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud"	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies	: up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca FWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 1 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca FWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca FWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca FWAIN, Cloud" 3.6 seconds	il), Meta Scan*,	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception	is up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, LocaTWAIN, Cloud* 3.6 seconds 3.6 seconds	II), Meta Scan*, 4.3 seconds	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows S	is up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud* 3.6 seconds 3.6 seconds ax T.37 Server2022/2019/2016/Server 2012 R2/Server 2	II), Meta Scan*, 4.3 seconds	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception	is up to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, Loca TWAIN, Cloud* 3.6 seconds 3.6 seconds ax T.37 Server2022/2019/2016/Server 2012 R2/Server 2	II), Meta Scan*, 4.3 seconds	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, M "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows S To shared folders (SMB, FTP), E-Mail, e-	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, LocaTWAIN, Cloud* 3.6 seconds 3.6 seconds by, Edge Erase, 2-in-1 / 4-in-1 mode ax T.37 Server2022/2019/2016/Server 2012 R2/Server 2 Filling	ll), Meta Scan*, 4.3 seconds 012 (64bit)	
Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, M "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, 7 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows S To shared folders (SMB, FTP), E-Mail, e-	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrome Monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, LocaTWAIN, Cloud** 3.6 seconds 3.6 seconds by, Edge Erase, 2-in-1 / 4-in-1 mode ax T.37 Server2022/2019/2016/Server 2012 R2/Server 2 Filing ccess for remote administration and configuration	ll), Meta Scan*, 4.3 seconds 012 (64bit)	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security Device Management System Features	Reversing Automatic Document Feeder* Dual Scan Document Feeder*: up to 240 Auto-Colour (ACS), Colour, Greyscale, N "JPEG, Multi/Single Page TIFF/XPS/PDF Searchable PDF* (and other formats like "WS Scan, Scan to USB, Scan to E-Mail, OCR scan, Scan to Box (e-Filing), WIA, T 600 x 600 dpi 2,400 x 600 dpi (with smoothing) 4.3 seconds Up to 999 copies Text/Photo, Text, Photo, Custom Electronic Sort, Rotate Sort, ID Card Cop Super G3, G3 - (opt. 2nd line) Internet Fa 3 seconds per page JBIG, MMR, MR, MH 1 GB Transmission/Reception Driver for Windows 11/10/8.1, Windows S To shared folders (SMB, FTP), E-Mail, e- e-BRIDGE CloudConnect (eCC) & Top A "e-Filing document server for secure stor 12,060 one-touch templates for storage of	Eup to 73 ipm (300 dpi) in colour and monochron ipm (300 dpi) in colour and monochrone ipm (300 dpi) in colour and monochrome ipm (300 dpi) in colour and monochrome F, Secure PDF, Slim PDF, PDF/A, PDF/A-2, DOCX, XLSX, PPTX)*" Scan to File, (SMB, FTP, FTPS, IPX/SPX, LocaTWAIN, Cloud* 3.6 seconds 3.6 seconds by, Edge Erase, 2-in-1 / 4-in-1 mode ax T.37 Server2022/2019/2016/Server 2012 R2/Server 2 Filling	1), Meta Scan*, 4.3 seconds 012 (64bit) n d (one public box, 200 user boxes), x Preview, Rip-while-Print, e-BRIDGE Open	

Options

Reversing Automatic Document Feeder 100-sheet capacity, A5R-A3, 35-157 g/m²

Dual Scan Document

300-sheet capacity, A5R-A3, 35-209 g/m²

Dual Scan Document Feeder With Double 300-sheet capacity, A5R-A3, 35-209 g/m²

Feeder With Double Feed Detection Paper Feed Pedestal

550-sheet capacity (1 Cassette), A5R-A3, $60-163 \text{ g/m}^2$

Drawer Module

For Paper Feed Pedestal 550-sheet capacity (1 Cassette)

A5R-A3, 60-256 gsm (eS2528A/3028A/3528A/4528A)

60-300 gsm (eS5528A/6528A)

Envelope Drawer

For Paper Feed Pedestal or Cassette Envelopes: 50-envelope capacity (1Cassette) 100 x 162 mm - 240 x 380 mm, 60-85 g/m² Paper: 550-sheet capacity, A5R-A4R,

60-163 g/m²

Large Capacity Feeder

2,000 sheets, A4, 60-300 gsm

Inner Finisher

2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Multi-staple Finisher

2 trays, 2,250-sheet capacity

65-sheet (80 gsm) multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Saddle Stitch Finisher

A4R-A3, 60-105 g/m² (stapling mode) 2 trays, 3,250-sheet capacity

Saddle Stiter i illisher 2 trays,

Saddle-stitched booklets of up to 60 pages 65-sheet (80 gsm) multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)

Hole Punch Unit

Available in 2 holes (E), 4 holes (F), 4 holes (S)

Licences

Accessible ARM

IPsec Enabler

Multi Station Print Enabler

Meta Scan Enabler

Unicode Font Enabler

Embedded Apps

Capture & Store

e-Suite

*Optional















Other Options

Platen Cover

Desk

Hard Disk Drive 320 GB(3) (Fips 140-2 Standard)

Security Solid State Drive 512 GB(3)

Wireless LAN/Bluetooth Module (Incl. Wi-Fi Direct)

Work Tray

Job Separator

Fax Board

USB Hub

Accessory Tray

RFID Card Reader Biometric Reader

Panel Ten-key

8

About Toshiba TEC

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec (Thailand) Co., Ltd. (0105547146144)

No.43, Thai CC Tower, Room 164-166, 16th Floor South Sathorn Road, Yannawa, Sathorn, Bangkok 10120 Thailand

Tel: 662-672-3728 Service: 662-672-3728 Fax: 662-672-3730

Website: www.toshibatec.co.th

Distributed by

Distributed by		
Γ	٦	Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.
		It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.
		We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.
L		

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation.