# TOSHIBA

# STUDIO3025AC STUDIO3525AC STUDIO4525AC STUDIO5525AC STUDIO6525AC

## Colour Multifunctional Printers

- Multifunctional A3 colour systems with an outstanding document output at a speed of up to 65 pages per minute
- Large and fully customisable user interface for enhanced efficiency and tailored workflows
- Easy integration into modern business environments, including cloud and mobile printing





## Cloud-ready And Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of "new normal" workplaces, the series is equipped with functionalities that enable non-contact, non-face-to-face and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side.

#### Show your true colours

Sharp, vibrant images in all hues can make your documents more beautiful and engaging. Toshiba's e-STUDIO6525AC series delivers image quality that stands out. In addition, the multifunctional systems are equipped with advanced features that meet the most exacting needs of today's and tomorrow's workplaces.

- Advanced Toshiba e-BRIDGE Next controller technology for easy customisation of document workflows and integration into IT environments
- High-quality output with a resolution of up to 1,200 x 1,200 dpi
- Colour consistency across small and large print jobs

TOSHIR

A4D

A3D

## Smart And Smooth

An intuitive 26 cm (10.1") tablet-style touch screen with an embedded web browser is easy to use and fully customisable. You can conveniently tailor settings and automate workflows – including integration of third-party solutions. The user interface, which reflects the bold new look of the new e-STUDIO series, enables simple operation and improved efficiency.

## Efficiency Your Way

Workgroups within SMEs appreciate the easy integration of the e-STUDIO6525AC into existing IT infrastructures. The systems are fully customisable, and offer readily accessible solutions, thanks to open platform architecture.

Designed for modern businesses, both systems are capable of cloud and mobile printing. AirPrint and Mopria Print Service support and address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or Smartphones.

The e-STUDIO6525AC series can be equipped with various apps to enhance efficiency. When the apps are combined with our embedded optical character recognition (OCR) feature, documents can be scanned as Microsoft Word and other popular office formats.

#### Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox™
- e-BRIDGE Plus for Exchange Online
- e-BRIDGE Plus for Gmail™
- e-BRIDGE Plus for Google Drive<sup>™</sup>
- e-BRIDGE Plus for Google Workspace<sup>™</sup> Google Drive<sup>™</sup>
- e-BRIDGE Plus for OneDrive<sup>®</sup>
- e-BRIDGE Plus for OneDrive® for Business
- e-BRIDGE Plus for SharePoint<sup>®</sup> Online
- e-BRIDGE Plus for Universal Print
- e-BRIDGE Capture & Store

#### Workflow solution apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for Green Information
- e-BRDIGE Plus for ID Card
- e-BRIDGE Plus for USB Storage
- e-BRDIGE Plus for Voice Guidance
- e-BRIDGE Plus for Zone OCR

## To ensure a perfect fit, contact our team of software developers for support in creating customised apps for you.

#### Your partner in sustainability

Sustainability is a major topic for Toshiba and our customers. We make every effort to minimise the impact of our business on the environment, to conserve and protect the world's natural resources. This applies to every business process and product, including providing solutions that make our customers' operations more sustainable. Accordingly, the e-STUDIO6525AC series MFPs have also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- Compliance with the latest, most stringent environmental requirements
- > Usage of recycled plastics
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP to encourage use of eco-friendly settings

#### Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6525AC series come with state-of-the-art security features, such as anti-malware, secure SSD (Solid State Drive) and TPM (Trusted Platform Module) with encryption function. The systems are fully compliant with the EU General Data Protection Regulation (GDPR). Deploy all the security technologies.

## Big Performance In A Compact Format

Toshiba's e-STUDIO6525AC series systems offer a wide spectrum of functionalities in a surprisingly compact format. The multifunctional units enable you to integrate and simplify your workflows while improving efficiency.

Auto calibration ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

**Image recovery menu** helps within minutes by providing easy guidance (including a movie) for customers.

**RGB colour substitution** gives you accurate colours with office applications so your documents are printed exactly the way you want.

Multi Station Print Solution allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at that device, e.g. by simply swiping your badge.

**Embedded optical character recognition (OCR)** simplifies the creation of searchable PDFs and editable document formats.

Scan to USB is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.

Scan and fax preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them. **Print from USB** for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

Remote assistance and diagnostics fit

seamlessly into today's workstyles and help keep your business running when technical difficulties or uncertainties occur.

Mobile printing gives you full flexibility and lets you easily connect to these systems with your mobile devices via AirPrint, or the Mopria Print Service. You can unleash access even more mobile print and scan features by adding the optional Wi-Fi module.

Choose your user experience for the large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

**Dual Scan Document Feeder (DSDF)** can hold up to 300 originals and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

## Proactive Service With Toshiba e-BRIDGE CloudConnect

- e-BRIDGE CloudConnect (eCC) is a device-to-cloud based system.
- It bridges the gap between business processes and machines in the field.
- It increases the efficiency of service operations.
- It is a web-based device management system, exclusively for Toshiba MFP.



#### Minimise disruption with a maintenance contract

Having a maintenance contract in place ensures that you get to take advantage of a variety of add-ons. Get real value for money and maximise your return on investment with a well-maintained device, with helpful technical support when you need it. Maintenance contracts ensure that you can continue to run your business with minimal disruption.



## **Specifications**

	e-STUDIO3025AC/3525AC/4525AC	e-STUDIO5525AC/6525AC	
General			
Print & Copy Speed	A4: 30 / 35 / 45 ppm	A4: 55 / 65 ppm	
	A3: 16 / 18 / 22 ppm	A3: 27 / 30 ppm	
Warm-up Time ~	12 seconds from low power mode	20 seconds from low power mode	
•	Drawer 1: A5R-A3, 60-300 g/m <sup>2</sup>		
	Drawer 2: A5R-A3 / A5R-320 x 460 mm, 60-300 g/m <sup>2</sup>		
Paper Size & Weight	Bypass: Single Feed: 100 x 148 mm-A3, 52-300 g/m <sup>2</sup>		
	Banner paper (up to 305 x 1,200 mm, 90-163 g/m²)		
	Drawer : 2 x 550 sheets		
Paper Capacity	Bypass: 1 x 100 sheets		
	Max. 5,200 sheets		
Automatic Duplex	A5R-A3, 60-256 g/m <sup>2</sup>		
Controller Type	Toshiba e-BRIDGE Next		
Control Panel	26 cm (10.1") Multi-Touch Colour Panel		
Memory	4 GB	6 GB	
Security SSD (Standard/Max)	128 GB / 640 GB		
Interface	10Base-T/100Base-TX/1000Base-T, High Speed, USB 2.0, W	/LAN* (IEEE802.11a/b/g/n/ac), Bluetooth*, Wi-Fi Direct	
Dimension & Weight	585 x 641 x 787 mm (W x D x H), ~77kg	585 x 641 x 787 mm (W x D x H), ~79 kg	
Print			
Resolution	600 dpi x 600 dpi, 5bit. PS Driver: 1200 dpi x 1200 dpi & 3,600	2 (Equivalance) x 1200 dni	
	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG		
Page Description Language	Windows 11/10/8.1, Windows Server2022/2019/2016/2012 R2	2/2012 (64bit)	
Supported Systems	Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400	2/2012 (04bil),	
Network Protocols	TCP/IP (IPv4/IPv6, NetBios over TCP/IP)		
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on	iOS or macOS <sup>®</sup>	
5			
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Pr	int from USB, Hold Print, Tandem Printing, E-Mail direct printing	
_	Universal Printer Driver, Driver Templates, Driver plug-ins*, Pr	int from USB, Hold Print, Tandem Printing, E-Mail direct printing	
Scan		int from USB, Hold Print, Tandem Printing, E-Mail direct printing	
Scan	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi		
Scan Scan Resolution		bi) in colour and monochrome	
Scan Scan Resolution Scan Speed	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp	bi) in colour and monochrome	
Scan Scan Resolution Scan Speed Scan Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2,	
Scan Resolution Scan Speed Scan Modes File Formats	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*"	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F Searchable PDF* (and other formats like DOCX, XLSX, PPTX "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB,	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*"	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F Searchable PDF* (and other formats like DOCX, XLSX, PPTX "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB,	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*"	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan:	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo Auto-Colour (ACS), Colour, Greyscale, Monochrome "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F Searchable PDF* (and other formats like DOCX, XLSX, PPTX "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*"	
Scan Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv.	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Sim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi	Di) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, C)*" FTP, FTPS, IPX/SPX, Local), Meta Scan*,	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp)         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp)         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Sim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Sim F Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, ()*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour) (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, ()*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Functions FAX	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp)         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, ()*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, C)*II FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, C)*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, C)*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dp)         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception         Driver for Windows 11/10/8.1, Windows Server2022/2019/201	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Fransmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour)	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception         Driver for Windows 11/10/8.1, Windows Server2022/2019/201         To shared folders (SMB, FTP), E-Mail, e-Filing	bi) in colour and monochrome ur and monochrome DDF, PDF/A, PDF/A-2, ()*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) 1 / 4-in-1 mode 6/Server 2012 R2/Server 2012 (64bit)	
Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception         Driver for Windows 11/10/8.1, Windows Server2022/2019/201         To shared folders (SMB, FTP), E-Mail, e-Filing         e-BRIDGE CloudConnect (eCC) & Top Access for remote adm	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, ()*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) 1 / 4-in-1 mode 6/Server 2012 R2/Server 2012 (64bit) hinistrations & configurations	
Print Functions Scan Scan Resolution Scan Speed Scan Modes File Formats Scan Functions Copy Resolution Scan: Print: equiv. First Copy Output Time Multiple Copying Copy Modes Copy Functions FAX Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing System & Security Device Management System Features	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi         Reversing Automatic Document Feeder*: up to 73 ipm (300 dpi         Dual Scan Document Feeder*: up to 240 ipm (300 dpi) in colo         Auto-Colour (ACS), Colour, Greyscale, Monochrome         "JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim F         Searchable PDF* (and other formats like DOCX, XLSX, PPTX         "WS Scan, Scan to USB, Scan to E-Mail, Scan to File, (SMB, OCR scan, Scan to Box (e-Filing), WIA, TWAIN"         600 x 600 dpi         2,400 x 600 dpi (with smoothing) (mono)         (30 & 35 ppm) 5.9 sec. (mono) / 7.8 sec. (colour)         (45 ppm) 4.4 sec. (mono) / 5.7 sec. (colour)         Up to 999 copies         Text/Photo, Text, Photo, Custom         Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1         Super G3, G3 - (opt. 2nd line) Internet Fax T.37         3 seconds per page         JBIG, MMR, MR, MH         1 GB Transmission/Reception         Driver for Windows 11/10/8.1, Windows Server2022/2019/201         To shared folders (SMB, FTP), E-Mail, e-Filing         e-BRIDGE CloudConnect (eCC) & Top Access for remote adm         "e-Filing document server for secure storage, Document distri	bi) in colour and monochrome ur and monochrome PDF, PDF/A, PDF/A-2, )*" FTP, FTPS, IPX/SPX, Local), Meta Scan*, 600 x 600 dpi 5bit (colour) (55 & 65 ppm) 4.3sec. (mono) / 5.6 sec. (colour) 1 / 4-in-1 mode 6/Server 2012 R2/Server 2012 (64bit) hinistrations & configurations bution and Print-on-Demand (one public box, 200 user boxes), gs and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open	

## Options

Reversing Automatic Document Feeder	100-sheet capacity, A5R-A3, 35-157 g/m <sup>2</sup>
Dual Scan Document Feeder	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
Dual Scan Document Feeder With Double Feed Detection	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
Paper Feed Pedestal	550-sheet capacity (1Cassette), A5R-A3, 60-163 g/m²
Drawer Module	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 g/m²
Envelope Drawer	For Paper Feed Pedestal or Cassette Envelopes: 50-envelope capacity (1 Cassette) 100 x 162 mm - 240 x 380 mm, 60-85 g/m <sup>2</sup> Paper: 550-sheet capacity, A5R-A4R, 60-300 g/m <sup>2</sup>
External Large Capacity Feeder	2,000 sheets, A4, 60-300 g/m²
Inner Finisher	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m² (stapling mode)
Saddle Stitch Finisher	2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages, 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
Multi-staple Finisher	2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)

## **Licences**

IPsec Enabler
Multi Station Print Enabler
Meta Scan Enabler
Unicode Font Enabler
Embedded Apps
Capture & Store
e-Suite

\*Optional



### **Other Options**

Platen Cover

Desk Security Solid State Drive 512 GB<sup>(3)</sup> Wireless LAN/Bluetooth Module (Incl. Wi-Fi Direct) Work Tray Job Separator Fax Board USB Hub Accessory Tray Panel Ten-key RFID Card Reader Biometric Reader Accessible ARM

#### About Toshiba TEC

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

#### Toshiba Tec (Thailand) Co., Ltd. (0105547146144)

No.43, Thai CC Tower, Room 164 -166, 16th Floor South Sathorn Road, Yannawa, Sathorn, Bangkok 10120 Thailand.

Tel: 662-672-3728 Service: 662-672-3728 Fax: 662-672-3730 Website: www.toshibatec.co.th



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright ©2022 TOSHIBA TEC.